

Technical Publications

Direction DOC0046108. Revision A.

Centricity Enterprise Archive Version 2.1

Integrating the Healthcare Enterprise (IHE) Integration Statement

Copyright© 2004 by General Electric Company





INTRODUCTION

OVERVIEW

This IHE Integration Statement describes the intended conformance of this GE product with the IHE Technical Framework. The IHE Technical Framework defines a subset of the functional components of the healthcare enterprise, called IHE Actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. These transactions are organized into functional units called Integration Profiles that highlight their capacity to address specific clinical needs.

Users familiar with these concepts can use Integration Statements as an aid to determine what level of integration this product supports with other systems and what clinical and operational benefits such integration might provide.

Other GE Integration Statements as well as further information on IHE may be found on internet at: **<u>ge.com/ihe</u>**

IMPORTANT REMARKS

The use of these IHE Integration Statements, by itself, it is not sufficient to ensure that inter-operation will be successful. The user needs to proceed with caution and ensure that a qualified systems' integration (such as GE's IT Professional Services) address at least four issues:

- Integration The integration of any system into an integrated department or enterprise requires an analysis of the applications requirements. The design of a solution that integrates GE systems with non–GE systems is the user's responsibility and should not be underestimated. Special care should be exercised in defining the expected workflow, the special conditions, and the clinical practice to be supported to ensure a safe and effective operation.
- Validation Testing the complete range of possible interactions between any GE system and non–GE system, before the integration is declared operational, should not be overlooked. Therefore, the **user** should ensure that any non–GE provider accepts full responsibility for all validation required for their connection with GE systems. This includes the accuracy of the data once it has crossed the interface and the stability of the data for the intended applications. Such a validation is required before any clinical use (diagnosis and/or treatment) is performed.
- Future Evolution GE understands that the IHE Technical Framework and the underlying communication standards will evolve to meet the user's growing requirements. GE is actively involved in the development of the IHE Technical Framework and the underlying standards. Such evolutions may require changes to



already installed systems. In addition, GE reserves the right to discontinue or make changes to the support of communications features (on its products) reflected on by these IHE Integration Statements. The user should ensure that any non–GE system that connects with GE systems also plans for the future evolution of IHE. Failure to do so will likely result in the loss of function and/or connectivity as the IHE Integration profiles evolve and GE Products are enhanced to support these changes.

IHE INTEGRATION STATEMENT

General Electric - IHE Integration Statement			Date
	···- ···· ··· · · ··· · · ····		24 Nov 2003
Vendor	Product Name	Version	
GE Medical Systems	Centricity Enterprise Archive	V2.1	
This product implements all transaction Profiles, Actors and Options listed be	ons required in the IHE Technical Framework to low:	support the I	HE Integration
Integration Profiles Implemented	Actors Implemented	Options Implemented	
Consistent Presentation of Images	Image Archive/ Image Manager	none	
Presentation of Grouped Procedures	Image Archive/ Image Manager	none	
Access to Radiology Information	Image Archive/ Image Manager	none	
	Report Repository	none	
Key Image Note	Image Archive/ Image Manager	none	
Simple Image and Numeric Report	Report Repository	none	
Reporting Workflow	Image Archive/ Image Manager	none	
Evidence Documents	Image Archive/ Image Manager	none	
Enterprise User Authentication	Client Authentication Agent	none	
Patient Identifier Cross-reference	Patient Identifier Cross-reference Consumer	none	
Consistent Time	Time Client	none	



Links to Standards Conformance Statements for the Implementation				
HL7	Not Applicable			
DICOM	ge.com/dicom			
Links to general information on IHE				
In North America: <u>www.rsna.org/ihe</u>		In Europe: www.ihe-europe.org	In Japan: <u>www.jira-net.or.jp/ihe-j</u>	
w	ww.himss.org/ihe			



This page is left blank





GE Medical Systems

GE Medical Systems – Americas : Fax 262-544-3384 P.O.Box 414, Milwaukee, Wisconsin, 53201 U.S.A Internet – http://www.gemedicalsystems.com

GE Medical Systems – Europe : Fax 33-1-30-70-95-95 Paris, France Internet - http://www.gemedicalsystemseurope.com

GE Medical Systems – Asia Tokyo, Japan : Fax 81-3-3223-8560 Singapore : Fax 65-291-7006